

BOLD

	BOLD						
nting:	: 19/12/2022 Date of compilation: 27/06/2011 Revised: 19/07/2022 Version: 8 (Replaced 7)						
SECT	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING						
1.1	Product identifier: BOLD						
	Other means of identification:						
	UFI: 16DF-A0UP-N001-KTHV						
1.2	Relevant identified uses of the substance or mixture and uses advised against:						
	Relevant uses: Car repair. For professional users only.						
	Uses advised against: All uses not specified in this section or in section 7.3						
1.3	Details of the supplier of the safety data sheet:						
	Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu						
1.4	Emergency telephone number: (8am-4pm)+48 094 35 123 94; 112						
SECT	TION 2: HAZARDS IDENTIFICATION						
2.1	Classification of the substance or mixture:						
2.1	CLP Regulation (EC) No 1272/2008:						
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.						
	Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 3: Flammable liquids, Category 3, H226 Repr. 2: Reproductive toxicity, Category 2, H361d Skin Irrit. 2: Skin irritation, Category 2, H315 STOT RE 1: Specific target organ toxicity — Repeated exposure, Hazard Category 1, H372						
2.2	Label elements:						
	CLP Regulation (EC) No 1272/2008: Danger						
	Hazard statements:						
	Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour. Repr. 2: H361d - Suspected of damaging the unborn child. Skin Irrit. 2: H315 - Causes skin irritation. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure.						
	Precautionary statements:						
	 P201: Obtain special instructions before use. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention. 						
	P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.						
	Supplementary information:						
	EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.						
	Substances that contribute to the classification						
	styrene						
2.3	Other hazards:						

- CONTINUED ON NEXT PAGE -



BOLD

rinting	: 19/12/2	.022 Date	of compilation: 27/0	06/2011	Revised: 19/07/2022	Version: 8 (Rep	placed 7)	
SECT	TION 2:	HAZARDS IDE	ENTIFICATION (co	ontinued)				
		t fails to meet PB ine-disrupting pro	T/vPvB criteria operties: The produc	t fails to meet t	he criteria.			
SECT	TION 3:	COMPOSITIO	N/INFORMATION	ON INGRED	ENTS			
3.1	Substa	ance:						
	Non-ap	plicable						
3.2	Mixtu	re:						
	Chemi	cal description	: Mixture composed	of chemical pro	oducts			
	•	Components: In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:						
			ex 11 of Regulation (1	EC) No 1907/20	06 (point 3), the product of	ontains:		
		Identification		, ,	06 (point 3), the product of Chemical name/Classification	ontains:		Concentration
	CAS:	Identification 100-42-5	styrene ⁽¹⁾	, ,		ontains:	ATP ATP06	
	CAS: EC: Index: REACH:	Identification		Acute Tox. 4: H332;			ATP ATP06	Concentration 10 - <25 %
	CAS: EC: Index: REACH: CAS:	Identification 100-42-5 202-851-5 601-026-00-0 01-2119457861-32- XXXX 13463-67-7	styrene ⁽¹⁾	Acute Tox. 4: H332; Irrit. 2: H315; STOT	Chemical name/Classification Eye Irrit. 2: H319; Flam. Liq. 3: H2: RE 1: H372 - Danger			10 - <25 %
	CAS: EC: Index: REACH: CAS: EC: Index: REACH:	Identification 100-42-5 202-851-5 601-026-00-0 01-2119457861-32- XXXX	styrene ⁽¹⁾ Regulation 1272/2008	Acute Tox. 4: H332; Irrit. 2: H315; STOT	Chemical name/Classification Eye Irrit. 2: H319; Flam. Liq. 3: H2: RE 1: H372 - Danger eter $\leq 10 \ \mu m$) ⁽¹⁾		() () ()	
	CAS: EC: Index: REACH: CAS: EC: Index: REACH: CAS:	Identification 100-42-5 202-851-5 601-026-00-0 01-2119457861-32- XXXX 13463-67-7 236-675-5 022-006-00-2 01-2119489379-17-	styrene ⁽¹⁾ Regulation 1272/2008	Acute Tox. 4: H332; Irrit. 2: H315; STOT erodynamic diam Carc. 2: H351 - Wa	Chemical name/Classification Eye Irrit. 2: H319; Flam. Liq. 3: H2: RE 1: H372 - Danger eter $\leq 10 \ \mu m$) ⁽¹⁾		() () () ATP ATP14	10 - <25 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

(2) Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BOLD

Printing: 19/12/2022 Date of compilation: 27/06/2011

Revised: 19/07/2022

Version: 8 (Replaced 7)

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BOLD

nting:	19/12/2022	Date of compilation: 27/06/2011	Revised: 19/07/2022	Version: 8 (Replaced 7)
SECT	ION 7: HANDLING	AND STORAGE (continued)		
	sparks,) and w inertization syste possibility of elec clothes made of requirements for protecting the se 10 for conditions	entilate during cleaning operations. ms where possible. Transfer at a s ctrostatic charges: ensure a perfect acrylic fibres, preferably wearing c equipment and systems defined ir	Avoid the existence of dange low speed to avoid the creatic t equipotential connection, alw otton clothing and conductive n Directive 2014/34/EC (ATEX r the selection criteria of Direct ded.	ntrol sources of ignition (mobile phones, rous atmospheres inside containers, applying on of electrostatic charges. Against the vays use groundings, do not wear work footwear. Comply with the essential security 100) and with the minimum requirements for tive 1999/92/EC (ATEX 137). Consult section
	PREGNANT WON necessary safety equipment, espe drink during the	IEN SHOULD NOT BE EXPOSED TO conditions (emergency showers a) THIS PRODUCT. Transfer in o nd eyewash stations in close p section 8). Limit manual transf s with suitable cleaning produ	designated areas that comply with the proximity), using personal protection fers to small amounts only. Do not eat or cts.
	It is recommend	ed to have absorbent material avai	ilable at close proximity to the	product (See subsection 6.3)
7.2	Conditions for saf	e storage, including any incom	patibilities:	
	 A Technical measu Minimum Temp. Maximum Temp Maximum time: 	: 15 °C		
	B General conditio	5	ad an alta at a 10 Garada Era a dal'	
			nd contact with food. For addi	tional information see subsection 10.5
7.3	Specific end use(s Except for the instru- product.		cessary to provide any specia	l recommendation regarding the uses of this
SECT	TION 8: EXPOSURE	CONTROLS/PERSONAL PRO	TECTION	
8.1	Control paramete	rs:		
	Substances whose c legislation):	ccupational exposure limits have to	b be monitored in the workpla	ce (European OEL, not country-specific
	Directive (EU) 2000/ (EU) 2019/1831:	39, Directive 2004/37/EC,Directive	(EU) 2006/15, Directive (EU)	2009/161, Directive (EU) 2017/164, Directive
		Identification		Occupational exposure limits
	Quartz (1 % < RCS < 10%)			DELV (8h) 0,1 mg/m ³
	CAS: 14808-60-7 EC: 2	38-878-4	10	DELV (STEL)

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
styrene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 100-42-5	Dermal	Non-applicable	Non-applicable	406 mg/kg	Non-applicable
EC: 202-851-5	Inhalation	289 mg/m ³	306 mg/m ³	85 mg/m³	Non-applicable

DNEL (General population):

	Short exposure		Long exposure		
Identification		Systemic	Local	Systemic	Local
styrene	Oral	Non-applicable	Non-applicable	2,1 mg/kg	Non-applicable
CAS: 100-42-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 202-851-5	Inhalation	174,25 mg/m ³	182,75 mg/m ³	10,2 mg/m ³	Non-applicable
DNEC					

PNEC:



BOLD

Printing: 19/12/2022 Date of compilation: 27/06/2011 Rev

Revised: 19/07/2022

Version: 8 (Replaced 7)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
styrene	STP	5 mg/L	Fresh water	0,028 mg/L
CAS: 100-42-5	Soil	0,2 mg/kg	Marine water	0,014 mg/L
EC: 202-851-5	Intermittent	0,04 mg/L	Sediment (Fresh water)	0,614 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,307 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 2016/425/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours (Filter type: A)		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
Compulsory use of face mask	Filter mask for particles (Filter type: FFP3)		EN 149:2001+A1:2009	Replace when an increase in resistence to breathing is observed.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties		EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN ISO 13688:2013 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk, with antistatic and heat resistant properties		EN ISO 13287:2020 EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration.

- CONTINUED ON NEXT PAGE -



BOLD

TION 8: EXPOSURE CONTROLS	5/PERSONAL PROTECTION	I (continued)				
F Additional emergency measure						
Emergency measure	Standards	Emergency measure	Standards			
	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Ť	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201			
Emergency shower		Eyewash stations				
Environmental exposure contr						
In accordance with the community spillage of both the product and it						
Volatile organic compounds:		Induon see Subsection 7.1.1				
With regard to Directive 2010/75/	EU, this product has the follow	ing characteristics:				
V.O.C. (Supply): 14,27 % weight						
V.O.C. density at 20 °C:	29 kg/m ³ (29 g/L)					
Average carbon number:	8,05					
Average molecular weight:	104,87 g/mol					
Average molecular weight.	104,07 9/1101					
TION 9: PHYSICAL AND CHEM	ICAL PROPERTIES					
Information on basic physical	and chemical properties:					
For complete information see the						
Appearance:						
Physical state at 20 °C:	Liquid					
Appearance:	Dense					
Colour:		10				
Odour:		Beige Characteristic				
Odour threshold:		Non-applicable *				
	Νου-αρμ					
Volatility:	114.00					
Boiling point at atmospheric press		114 °C				
Vapour pressure at 20 °C:		2176 Pa				
Vapour pressure at 50 °C:		11466,7 Pa (11,47 kPa)				
Evaporation rate at 20 °C:	Non-app	blicable *				
Product description:						
Density at 20 °C:	1660 kg	/m³				
Relative density at 20 °C:	1,66					
Dynamic viscosity at 20 °C:	2,55 cP					
Kinematic viscosity at 20 °C:	1,51 mn					
Kinematic viscosity at 40 °C:		blicable *				
Concentration:		blicable *				
pH:	Non-app	blicable *				
Vapour density at 20 °C:		blicable *				
Partition coefficient n-octanol/wate	er 20 °C: Non-app	blicable *				
Solubility in water at 20 °C:	Non-app	blicable *				
Solubility properties:	Non-app	blicable *				
	Non-anr	blicable *				
Decomposition temperature:	ιιοιι-αμ					
Decomposition temperature: Melting point/freezing point:		blicable *				



BOLD

Printing:	19/12/2022	Date of compilation: 27/06/2011	Revised: 19/07/2022	Version: 8 (Replaced 7)
SECT	ION 9: PHYSIC	AL AND CHEMICAL PROPERTIES	G (continued)	
	Flash Point:		39 °C	
	Flammability (sol	lid, gas):	Non-applicable *	
	Autoignition temp	perature:	345 °C	
	Lower flammabili	ity limit:	Not available	
	Upper flammabili	ity limit:	Not available	
	Particle charac	teristics:		
	Median equivaler	nt diameter:	Non-applicable	
9.2	Other informat	ion:		
	Information wi	ith regard to physical hazard clas	ses:	
	Explosive propert	ties:	Non-applicable *	
	Oxidising propert	ties:	Non-applicable *	
	Corrosive to meta	als:	Non-applicable *	
	Heat of combusti	ion:	Non-applicable *	
	Aerosols-total pe components:	rcentage (by mass) of flammable	Non-applicable *	
	Other safety ch	naracteristics:		
	Surface tension a	at 20 °C:	Non-applicable *	
	Refraction index:		Non-applicable *	
	*Not relevant due to	the nature of the product, not providing infor	mation property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

Contains susbstances highly reactive and can auto-polymerize as a result of internal peroxide accumulation. The peroxides formed in these reactions are extremely shock- and heat-sensitive.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BOLD

g: 19/12/2022	Date of compilation: 27/06/2011	Revised: 19/07/2022	Version: 8	8 (Replaced 7)			
TION 11: TOXIC	COLOGICAL INFORMATION (continued)	ued)					
as hazardous	-	see section 3					
as hazardous - Corrosivit classified as	icity : Based on available data, the classi s for inhalation. For more information see y/Irritability: Based on available data, the hazardous for this effect. For more inform the skin and the eyes (acute effect):	section 3. classification criteria are			I		
 Contact w 	ith the skin: Produces skin inflammation. ith the eyes: Produces eye damage after (carcinogenicity, mutagenicity and toxicit	contact.					
as dangerou IARC: styn arom., < 0.1 (aerodynami - Mutagenio hazardous fo	enicity: Based on available data, the classis s with carcinogenic effects. For more info ene (2A); Talc (3); Hydrocarbons, C10, ar % EC 200-753-7 (3); 2,6-di-tert-butyl-p- c diameter \leq 10 µm) (2B) city: Based on available data, the classific or this effect. For more information see set tive toxicity: Suspected of damaging the of ffects:	rmation see section 3. romatics, < 1% naphthale cresol (3); Quartz (1 %< ation criteria are not met oction 3.	ene (3); Solvent r RCS < 10%) (1)	naphtha (petroleum), light); Titanium dioxide			
hazardous w - Skin: Base hazardous fo	 Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: 						
this effect. F	ailable data, the classification criteria are or more information see section 3. et organ toxicity (STOT)-repeated exposu		ontain substances	s classified as hazardous for			
including dea - Skin: Base	arget organ toxicity (STOT)-repeated expo ath, serious functional disorders or morph ed on available data, the classification crit or this effect. For more information see se azard:	ological changes of toxic teria are not met, as it do	ological importan	ce.			
this effect. F	ailable data, the classification criteria are or more information see section 3.	not met, as it does not co	ontain substances	s classified as hazardous for			
to mixtures in po aerodynamic dia	Titanium dioxide (aerodynamic diamete owder form containing 1 % or more of tit	anium dioxide which is in			ly		
	Identification		Acute toxici	ity Genus			
styrene		LD50 ora	il >2000) mg/kg			
CAS: 100-42-5		LD50 de	mal >2000) mg/kg			
EC: 202-851-5		LC50 inh	alation 12 mg	/L (4 h) Rat			
	erodynamic diameter \leq 10 µm)	LD50 ora		mg/kg Rat			
CAS: 13463-67-7		LD50 de		mg/kg Rabbit			
EC: 236-675-5		LC50 inh					
Quartz (1 %< RCS	< 10%)	LD50 ora) mg/kg			
CAS: 14808-60-7		LD50 de	rmal >2000	i ma/ka	1		
EC: 238-878-4		LC50 inh		5. 5	_		

ATE mix

Ingredient(s) of unknown toxicity



BOLD

Printing:	rinting: 19/12/2022 Date of compilation		on: 27/06/2011	Revised: 19/07/2022	Version: 8 (Replaced 7)			
SECTION 11: TOXICOLOGICAL INFORMATION (continued)								
	Oral >2000 mg/kg (Calculation method)				Non-applicable			
	Dermal		>2000 mg/kg (Calculation method)		Non-applicable			
	Inhalation		86,78 mg/L (4 h) (Calculation method)		0 %			
11.2	1.2 Information on other hazards:							
Endocrine disrupting properties								
	Endegring disrupting properties: The product fails to most the criteria							

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Identification	Absorpti	on/desorption	Volatility		
styrene	Кос	Non-applicable	Henry	Non-applicable	
CAS: 100-42-5	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 202-851-5	Surface tension	3,21E-2 N/m (25 °C)	Moist soil	Non-applicable	

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	waste paint and varnish containing organic solvents or other hazardous substances packaging containing residues of or contaminated by hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP10 Toxic for reproduction, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

MASTER

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BOLD

Printing: 19/12/2022	Date o	of compilation: 27/06/2011	Revised: 19/07/2022	Version: 8 (Replaced 7)
SECTION 14: TRANSP	PORT	INFORMATION		
Transport of da With regard to A	-	us goods by land: 1 and RID 2021:		
	14.2 14.3	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group:	UN3269 POLYESTER RESIN KIT, liqu 3 3 III	id base material
	-	Environmental hazards: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:	No 236, 340 E see section 9 5 L	
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable	
Transport of da	angero	us goods by sea:		
With regard to IN	1DG 40	-20:		
	14.2	UN number or ID number: UN proper shipping name: Transport hazard class(es):	UN3269 POLYESTER RESIN KIT, liqu 3	id base material
		Labels:	3	
		Packing group: Marine pollutant:	III No	
3		Special precautions for user Special regulations:	340, 236	
		EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	F-E, S-D see section 9 5 L Non-applicable	
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable	
Transport of da	angero	us goods by air:		
With regard to IA	ATA/ICA	NO 2022:		
	14.2 14.3	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels:	UN3269 POLYESTER RESIN KIT, liqu 3 3	id base material
	14.5	Packing group: Environmental hazards: Special precautions for user	III No	
		Physico-Chemical properties:	see section 9	
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable	

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable



BOLD

ECT	ION 15: RE	GULATORY INFC	RMATION (c	ontinued)					
	Article 95, RI	EGULATION (EU) N	o 528/2012: No	on-applicable					
		N (EU) No 649/2012				zardous che	emical produ	cts: Non-applic	able
	Seveso III:		,	and import a					
								Lower-tier	Upper-tier
	Section			Description	l			requirements	requirements
	P5c	FLAMMABLE LIQUIDS			••••			5000	50000
	etc):	to commercialisa	ition and the	use of cert	ain dangerous	substanc	es and mix	tures (Annex	XVII REACH,
	Shall not be —ornamenta and ashtrays —tricks and —games for Occupational	I articles intended t	pants, or any a able crystalline	rticle intende silica must b	ed to be used as e controlled pur	s such, even rsuant to Dir	with ornam	ental aspects.	amental lamps
	It is recomm	ended to use the in in order to establis	formation inclu	ded in this sa	afety data sheet	t as a basis			
	Other legis	lation:							
	-	could be affected b	v sectorial legis	slation					
5.2	•	afety assessment	, 0						
		has not carried out		hemical safe	tv				
	Texts of the H315: Cause H372: Cause H361d: Susp H226: Flamn H319: Cause	N REGULATION (EU e legislative phras s skin irritation. s damage to organs ected of damaging nable liquid and vap s serious eye irritat	ses mentione through prolo the unborn chil our. on.	nged or repe ld.	ated exposure.				
	The phrases individual con CLP Regula Acute Tox. 4 Carc. 2: H355 Eye Irrit. 2: I Flam. Liq. 3: Repr. 2: H366 Skin Irrit. 2: STOT RE 1: STOT RE 2:	e legislative phras indicated do not rei mponents which ap tion (EC) No 127 : H332 - Harmful if 1 - Suspected of ca H319 - Causes seric H226 - Flammable 1d - Suspected of d H315 - Causes skin H372 - Causes dam H373 - May cause o	er to the produ- bear in section 2/2008: inhaled. using cancer (I us eye irritation liquid and vapo amaging the un irritation. age to organs t	uct itself; the 3 (nhalation). n. pur. nborn child. through prolo	y are present m onged or repeat	ed exposure	2.		er to the
	Skin Irrit. 2: STOT RE 1: 0 Repr. 2: Calc Flam. Liq. 3: Eye Irrit. 2: 0	on procedure: Calculation method Calculation method ulation method Calculation method Calculation method ted to training:	(2.6.4.3)						

- CONTINUED ON NEXT PAGE -



BOLD

Printing: 19/12/2022	Date of compilation: 27/06/2011	Revised: 19/07/2022	Version: 8 (Replaced 7)
SECTION 16: OTHE	ER INFORMATION (continued)		
interpretation o	of this safety data sheet, as well as the lab iographical sources:		ict and to facilitate their comprehension and
http://eur-lex.e	europa.eu		
ADR: European IMDG: Internati IATA: Internatic ICAO: Internatic COD: Chemical BOD5: 5day bio BCF: Bioconcen LD50: Lethal Do LC50: Lethal Co EC50: Effective LogPOW: Octar Koc: Partition co UFI: unique for	ose 50 oncentration 50 e concentration 50 nolwater partition coefficient oefficient of organic carbon	arriage of dangerous goods	by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.